# SAFETY DATA SHEET

Issuing Date 07-May-2010

Revision Date 29-Apr-2015

**Revision Number** 2

COLOR PLACE LATEX SEMI-

**GLOSS PAINT** 

Wal-Mart Stores Inc

216-566-291

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product code

5435, 5440, 5453, 5051, 5451, 5407, 5400

**Product Name** 

COLORPLACE® Interior Latex Wall Paint

Other means of identification

Synonyms

### Recommended use of the chemical and restrictions on use

None

Recommended Use Nonflat Coatings

Uses advised against No information available

### Details of the supplier of the safety data sheet

Manufacturer Distributed by/Distribuido por: WAL-MART Stores, Inc. Bentonville, AR 72716.

Emergency telephone of company (216) 566-2917

Product Information Telephone Not available Number

Regulatory Information Telephone Number (216) 566-2902

Transportation Emergency (800) 424-9300 Telephone Number

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Specific target organ toxicity (repeated exposure)	Category 2	
Carcinogenicity	Category 1A	

# GHS Label elements, including precautionary statements

		Emergency Overview		
Signal word	Dang	er		
Hazard Staten May cause car May cause dar		ged or repeated exposure		
Appearance	No data available	Physical State Liquid	Odor No information available	
Do not breathe Precautionary	Statements - Prevention dust/fume/gas/mist/vapors/spr Statements - Response vice/attention if you feel unwel			
Precautionary None	Statements - Storage			
	Statements - Disposal tents/container to an approved	waste disposal plant		
Hazards not of	therwise classified (HNOC)			
Not applicable				
Unknown Toxicity 14.7% of the mixture consists of ingredient(s) of unknown toxicity				
Other information				
May be harmful	if swallowed			
Interactions with No information	ith Other Chemicals available.			

Page 2 / 11

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%	Trade Secret
Titanium dioxide	13463-67-7	10 - 30	*
Quartz	14808-60-7	7 - 13	*
Fullers earth	8031-18-3	1 - 5	*
Cristobalite	14464-46-1	0-2	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

# 4. FIRST AID MEASURES

### First aid measures

General Advice	Show this safety data sheet to the doctor in attendance.	
Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.	
Skin Contact	Wash with soap and water.	
Inhalation	Remove to fresh air.	
Ingestion	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person.	
Most important symptoms and e	effects, both acute and delayed	

Most Important Symptoms and No information available. Effects

### Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available.

#### Hazardous Combustion Products

Carbon oxides.

# Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with eyes. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas.	
Other Information	Refer to protective measures listed in Sections 7 and 8.	
Environmental Precautions		
Environmental Precautions	Refer to protective measures listed in Sections 7 and 8.	
Methods and material for containme	ment and cleaning up	
Methods for Containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.	

# 7. HANDLING AND STORAGE

### Precautions for safe handling

Handling	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with eyes. Take off contaminated clothing and wash before reuse.	
Conditions for safe storage, including any incompatibilities		
Storage	Keep container tightly closed.	
otorage	Reep container tightly closed.	
Incompatible Products	None known based on information supplied.	

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 10 mg/m <sup>3</sup> total	IDLH: 5000 mg/m <sup>3</sup>
		dust	
Quartz 14808-60-7	TWA: 0.025 mg/m <sup>3</sup> respirable fraction	TWA: 0.1 mg/m <sup>3</sup> (vacated)	IDLH: 50 mg/m <sup>3</sup> respirable dust TWA: 0.05 mg/m <sup>3</sup> respirable dust
Cristobalite	1-	TWA: 250 MPPCF / 2 x	-
14464-46-1		(%SiO2+5) 8 hours.	
		Form: Respirable	
		TWA: 10 MG/M3 / 2 x (%SiO2+2) 8 hours.	
		Form: Respirable	
		TWA: 30 MG/M3 / 2 x (%SiO2+2)	
		8 hours. Form: Total dust	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures Showers Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.
Skin and Body Protection	Wear protective gloves and protective clothing.
Respiratory Protection	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# **Physical and Chemical Properties**

UL

	Values		
Property		Remarks Method	
pH Molting / freezing point	8-9.5	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range Flash Point	100°C (212°F) No data available	None known None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air	No data avallable	None known	
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	No data available	None known	
Water Solubility	Soluble in water	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/wat		None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	Kinematic (room temperature): >0.205	None known	
	cm2/s (>20.5 cSt)		
	Kinematic (40°C (104°F)): >0.205		
	cm2/s (>20.5 cSt)		
Dynamic viscosity	No data available	None known	
Explosive properties	No data available		
Oxidizing Properties	No data available		
Other Information			
Softening Point VOC Content (%) Particle Size Particle Size Distribution	No data available No data available No data available		

# **10. STABILITY AND REACTIVITY**

### Reactivity

No data available.

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

#### <u>Conditions to avoid</u> None known based on information supplied. <u>Incompatible materials</u> None known based on information supplied. <u>Hazardous Decomposition Products</u> Carbon oxides.

# **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Proc	luct	Information
------	------	-------------

Inhalation	Specific test data for the substance or mixture is not available.
Eye Contact	Specific test data for the substance or mixture is not available.
Skin Contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available. May be harmful if swallowed. (based on components). Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	5 <b>.</b> -1	-
Quartz 14808-60-7	= 500 mg/kg (Rat)	3 <b>-</b> 3	-

#### Information on toxicological effects

Symptoms

No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.

Mutagenic Effects No information available.

#### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. This product contains titanium dioxide which is classified as a possible carcinogen when present as respirable dust. This is not relevant for this product since it is a liquid. This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product. Cristalobite is a known human carcinogen. Risk of cancer depends on duration and level of exposure.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium dioxide 13463-67-7		Group 2B		X
Quartz 14808-60-7	A2	Group 1	Known	X
Cristobalite 14464-46-1		1	Known	

ACGIH (American Conference of G A2 - Suspected Human Carcinogen IARC (International Agency for Res Group 1 - Carcinogenic to Humans Group 2B - Possibly Carcinogenic to I NTP (National Toxicology Program, Known - Known Carcinogen OSHA (Occupational Safety and He X - Present	earch on Cancer) Humans		
Reproductive Toxicity	No information available.		
STOT - single exposure	No information available.		
<b>STOT - repeated exposure</b> Causes damage to organs through prolonged or repeated exposure. Based on classifica criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from chronic or repeated exposure. (STOT RE).			
Chronic Toxicity	Avoid repeated exposure. Prolonged exposure may cause chronic effects.		
Target Organ Effects	Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Lungs. Kidney.		
Aspiration Hazard	Aspiration Hazard No information available.		

# Numerical measures of toxicity Product Information

### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 3,597.00 mg/kg

# **12. ECOLOGICAL INFORMATION**

### Ecotoxicity

The environmental impact of this product has not been fully investigated.

### Persistence and Degradability

No information available.

#### **Bioaccumulation**

No information available

### Other adverse effects

No information available.

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes 331

# **14. TRANSPORT INFORMATION**

DOT Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A
TDG	Not regulated
MEX	Not regulated
ICAO	Not regulated
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
IMDG/IMO Hazard Class	Not regulated N/A
<u>RID</u>	Not regulated

ADR	Not regulated		
ADN	Not regulated		

# **15. REGULATORY INFORMATION**

### International Inventories

TSCA DSL Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### US Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372 Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372 Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65		
Titanium dioxide - 13463-67-7	Carcinogen		
Quartz - 14808-60-7	Carcinogen		

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Titanium dioxide 13463-67-7	X	X	X		
Quartz 14808-60-7	X	Х	Х		

### International Regulations

### Mexico

#### National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Titanium dioxide		Mexico: TWA= 10 mg/m <sup>3</sup>
13463-67-7 (10 - 30)		Mexico: STEL= 20 mg/m <sup>3</sup>
Quartz		Mexico: TWA= 0.1 mg/m <sup>3</sup>
14808-60-7 (7 - 13)		

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada

WHMIS Hazard Class

D2A - Very toxic materials	S
----------------------------	---

16. OTHER INFORMATION					
NFPA	Health Hazards 1	Flammability	0	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazards 1*	Flammability	0	Physical Hazard 0	Personal Protection
Chronic Hazard St	ar Legend * = Chronic H	Health Hazard			
Prepared By					
Issuing Date	07-May-2	010			
Revision Date	29-Apr-20	015			
Revision Note	No inform	ation available			

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# End of Safety Data Sheet